

Molign mit Richlo Herbarium Soutellaria ranes vens Mx - min langellblathing gright Helianthus mollis Lam not will. The Garrens, Kishethel ninfar bafandytor, fillile vist blill Ausbeikin kribba de di grugh Bri Coppij (fell-if A. sullomentora debigeffile: A. sper nov., -ys Litota Rud speriosa Wender. if min A, sentitu guerant Lysimarkie hybrid Mx ( my gray) men guadiflom Chemped: ambrosindes Light guerrine Rypensum spheriorgatifion Mx non Matt. if he fanny Tyrnanthen linifle out out of god of Signische anneps Wills blaces The anseps Lun Is myt ( any Juny Ommus chiron Mx dali pp gaffrik Onigra Ait Wille Shrister Such monion! (mygny, Grapheli pennylvenst- Williams- punjune Lythe alatun Ell, whippe Lineation Lugen dvansat Mx . Is biff E. pusillum Mett Corner randressis the way be latelian ( my Juny) Temrin viginion it informat Myosotis venna hutt Assorbes pulled W.

Physolis of XXXIII if It It Is her hees

Oh. barbadeus is Dung Utnimleni gibbe d. Mett! - my gag Lyny M. minor L? my gray mi ble'm bring Soirpus of Milt gails of the Employer the Conference of the Conferenc Pyrnanthan julos m. Thutt winfor his filling Hypen molifier & De Dung! MISSOURI BOTANICAL

copyright reserved GARDEN

Coreopsis auns lette d'ist uni en Kirkenthals freek ( polometer is in form, let stops griffit C. Delphini blis Vanion Dékotomme L. ser bla bestjeg dandestin fran nit om Digitami serotina auct. americ. ung gray
var von Dig. sanguireli, bet gray
sett fing Panis nitid d. van ilos- fers grung ble o vanla Harza Hilley Poa newatu I di grun blui bliggi, deligne grun mil almo giblett Comus aspirifolie if suffer gumen Green assir Gretiole, vivi i f of a gray di finjing grunning gament mild graff throtal! MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved GARDEN

1. Marsilea uncinata mihr. n.fp.

1. Marsilea uncinata mihr. n.fp.

21. Aumile Coffiel. 21. 2. Mon Pago il forfa thermalis 3. Galium bratteosum. canle adsiendente, basi ramoso, inferme hispidulo, superne glubernino, folicis qualernis infenonz ovatis super laved glubrusrul vilialis peduralis axillanters subsimplistatus, brevioriba fructiferis reven vis; infra ovanium bifolicis s. bibrarleatis; fruct piòpid. unrient. Jor. virid. 12-1 fip fof - and hope for authority buffer i thought out on the period che in the No. 2: .- "It is to fear for if - fig decid right & a brusteen of Gold of July Colog of gulde. show V. eassinoides /formunt, min 4. Burnum ferrugstum Think, It si befrang deze goffed. Ramosum, 6-8 pedale, ramis vermosis; fol infer. lake ovatis, supendrity Cenred. omnibus acuminatis et in petiblism vanalitulate denventibus, subcrenatis, marque revolutis, petiolo nenvogne med nno supra pubesvente, folicis supra glabris nitidis, junion bus infin ferrugines-tomentos is, adultis glibninsemlis; ey ma pedunrulata supradevomposita. Hel: - puliede frigide sphagnose prope L'Ale North orun Alno Ororlea di flor Majo? all.? Caor coenel!

5. Mahva hispida (aule erecto hursulo, fol. cordato 5 la infimis subdystatis, summis tribbis, lobis inciso \_ dentatio pinnetifidisque, glabriusealis; stipulis semi cordatis auniculatio, ciliatio, floribus longiss i me pedrimoulatis avillanbers, navemos is vacernis superne sudis, brateis (stipulis romalis cordatis bifidis; calque flavo-his pido, externo I stante, interni partibus segmentis ovatis accumi Stulis deplo ralque errobentibus, latis crenu Hab. i reprovis nemo latis. Capsulis glubris - Hab. - ruprossis nemo vosis ova salinas illinoenses Dilionis Cherok com Sumi flor. 2 pedali. 6. Potentilla pentandra ! minter. ast! and Maily Jufe to an affelight with in your work anni hniff offers for, niffgmill stamme. Combe erecto 3-4 pedali, hirsondo, folis infendribus

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

lønge petiodalis quinntis fol. super boeviter petiolatio sernatis, foliolis lanreolatis obtusis Ensi ouneatis grosse (suepe diploriter) dentalis i subties pubest, organ kirtis. Stipulis laureol. and. inviso-dentals - Inflorescentia dishotoma, og mosa, peduaralis selareis hirsuhis valgar appenditibus (segmentis externis) majoribus, petulis spalhulalis, minimis, flavis. I saminibus 5-6 Sem pluvino minulis flavo-fusiris. might in immed in Bottom sould In Neosho bui For gible. - Jani. - 3- Sibbellin o'y di Bayle In In Styli - Cargin suppid. 7. Gillenia splendidu op ni i Jan Herry ju mit W. mula forf, diseight hij mi di vilogenigo mij o might Muper wine med offeries fri de & Morem Splendid - zon trifoliata, de ini alt de großhudh upfran a form part am Abrut, all if uhr margine flinge flemme in- /- "I more my million ill Com I Juici), a migricum Infaiper som furflörn soldyn gage wifante all grufte usnigs langthand Mug Bun vinger 29 form of he Deix African 20 fells in House in Municipa you follown End for menofler! het men dif Gillenia - slop in 3 figs fofar morphel /2 Ruff 2 on had band Iften gliffer might - july seign hugher, det ig may Chlaufer boren, trust if wind G. stipularea, Di Anjolista Joll mely if in my form fing graff fall en oplig & ally his geling maffen. It Eaton's Dinguespe I hopelishe offing to Toppele Jamake & block Te offin in the Doppele Jamake & block Te e grall de Stipula, sops et befant frift; de greite fal enjenlige. Ererta, 3 pedalis, fol: ternatis, folist ovalolauren inferioribus obtusis, super, acuminalis biserratis supra glabris sobbes sobjendesrentits, petiolo oupm pubesseule. Objulis minutio (nibentibus) pinnahfikis; supm tikanbins infra la revlation, integris 3. viliate - dentatis. Florte - panierl. lær dis pos. Calyi. mbn campanulut o seg mentis ovalibus arumnatis glanduloso serratis; petalis l'nearité lenreolats aruminutis, longe ung wirulatis carpiès somentosis (---- Die hijolika Iffel - Di skjenleren je gledt, mind Nacion lasioranpa 8. Hedyotis ovalis. Offenberg Hedyotis green oralyon outer bilond

copyright reserved

cm

BOTANICAL

GARDEN

polysperma. Li Mint Ti Caule execto ramoso brachists
4 angulo, glabro, fol: Cantiol businttennatio su Epetialatis
acutis glabris, margine as penis; stipulis (commutis, segmentis linearibus, viliatis. Floritus conglormentis s. setypliststrus avillantin terminalibusque; ovario hitto, algre viliato, corolla calque minore, 6-8 zoll for aif somile frugt lefuis - formely may to L. All Nork Angol-Septembe: with Assignum, Centuments chi. alla fell by on Hedyotis brashiata od calgorna any ingepi, on H. lancolate der Dy Bladly well - Hipula - Coliffy had mile. 9. Hedyotis diffusa? Top di Aflerey mi i minsnife Jones him he have my and Houstonin and Polygoremany fine; he found the house completed al sly linggy by blig fit, defrale gold elfer and ign al home work - for thing de falilier e Allany of Hedyskis je samsnife. - De den In millibrand withfield f- HH/ 1 3 glomente 24 D' line laugett blist, ne glaste, d'anny sellie / Gand agsillarbliff. 2, som læn reolata slig det a ligsbomitet. mid linguml Brifffin, bliffme i Blulleildy 3, m ovalis by blatteles, may find beight mun bind ji ich de Moum Hedyohi defenda beffinite. Caule ramoso diffuso, 4 angulo, glabo, polis Enean-lanced besi attenuale glabre, florite ascille sessil. singulis. Dig - ang 1. glomentis. Caule everto, sub quadrangulo, 10. Roustonia elegans Superne ramoso, glabernino, ramis ereitis, fol: infenioribus late lanveoluti, obtasis, symmorie lineari Canveol, and PDEN ubjestiblatis, objenlis connaties membranaseis biden ANN PAPERS Latio; flor corymbos, cor ovalibe dominatis bas: ciliatis, corolla tubulosa,
limbo expanso rosarea, interne villosa, stam: esiste,
limbo expanso rosarea, interne villosa, stam: esiste,
tas (internetial j an de de Marrier gray bing,
ce i de Tubus nigriffle for fud.!) Capsul bilorul, 1-2 foff, --- -- -- -- -- -- -- --alkanfor might formight formight formight. 11. Houstonia latifolia Caule ad rændente 4 angulo, piloso, fol lake lanveolutis s. ovatis, subrordutis, inferia obbusis, super, arubis, 3-5 nuviis, kirtis, shipulis Torontis amtis membranareis; flor: commbosis, commbosis commbosis directions lineari lauren corolla hebulosa, subrampanul glebra alba; capsula

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Light for if I theft If inthe my if when himmen. 12. Cighorbia in firstifan Mistoria. Mangel 3/4 forf, buforder on de volfens bonfit in hig oft min frigand, black sprilling, gour mudity glass Del Driffichy show 3 and 2 feeling; Gold braid frostioning, sound, sounget bid y forecame ( -i & E. anny) Delordes I planton in Diff mappen Shall Infalland fifthing Hil derbound ( dedry your, or seples westind) Dundervalle lacesfirming Couple glass, same oral, cylinder, grown, grandig. - grbriffra in Sufared i Morde 13. Rugherbia syl astroph gafremet, Jani. Haye 8-12 for fortelfing, swingt, light, a longist ful fraficing grøjigt, glatt. Deld 2 ein 3 frig, hum 2-3-me græde by: Gillan ogst condat, men oround, grøngt. ninderje dagte maje, Trem gras Angelin rell - Grandford, viewlig, Anglike. abinity i hapholi is a america bottom listly. for mont; Pacies of brien full figures; Junelistall gum synl; - siff mit Anemone avonitégélie offices Henry find of the file of the sound of the s - Orghel - Top of the beight. Bliff - 2-5, - There 16. Crotinopsis linearis Mar? Dif- Henry for it in efigefult, befrigtligten et medent my mil it si sin frankjar Osoton if, 20 in and Jolefon alt orstonopsis if if affirel. Deift jim: en Bylands if offel, - my, Sldowis, L'Hle Own, Hol Springs Fortgobson etr. Di beilt frily just som je alt licender ag sigligh of ill grow: Te. muse: cal. hipart. petal. 3, Storm 3,5 16; — Fl. form, Cal 4-5 pouris carpia 2, Styli 2, Shigmenta 4. Capoul sem. 1. guadrifatois \_ Scither If silbain for Sping Croton elliptices

17. Phalangium serotinum for mont wil Oh. esculent at sil fort, fil men i if I kikapoo Omirie filmste mytour of if bliff, wife list lings whiff full, mith Joni in Good of gold and großen magen Sigele i Deif, nife det made mig træme full, - de 30 det bid brigamen. Juste blande blig and frunk. af for grafel Stenopelaluin grundend sunde. Rud. Aulborn muvoilaginosa, folis linearbus avutis flavoritis, scapo longiore levele, vacemo conferto, bracheis setarcis, pedirellis erechis, petalonun long tudite aequalibus petalis linearibus obtusis, stamina driplo superantibus, stignake 3 fist. - 12 - 2 fiff. style staminitus torgiore 18. Leavenworthea Vorr. Jenus: Calgrejerects stamiserts eglandalosis stigmale subbifish Siliqua compresso lata valoris d'ssepsiment:

subbifish simientinis unisserialibus, organismos is,

late institutio, cotyledo incumbent, quantialiumbilimos tames

marginatilatis, cotyledo incumbent, quantialiumbilimos tames Spec: Engelmanni umiflorn (scapigera, lyruta) acaulis Jolis Eynatis, varnosis, glubris, segmentos impani subrordato 3-5 dentato, scapis unifloribus, elongatis, setos is numerosis, calque colorato, erecto, petalis longion bus, obsordatis angusts, albis. 2-3" for ming-this and Allifely— um I John's Creek 50 mile - speign grafiff min lig fortifle grafiale. If he buy inful grains 19. Plenis nigres rens duct. (Contagrama fil all Penis Ini, di job ift beffish find, fronde bij innalifid, folid basi onneatis, infentrilas pinnatifidis s. profunde crenatio supra aunivulatis; foliolis superio Rass confluentibus, omni bus obtusis. Stipite nigne polito, hirsulo. - Vinlligt If gur Mithaux Herisgravitis? - 3-9 For - Stipilits 20. I tens hirsula sur oful: f Kens, fromde biping la foliol pinnatifi. notundo-oblusio, hissulo-estiatio, stipite atropurpures hissuts, basinigrosquamoso. 21 Adiantion Capillers veneris
21 Adiantion Capilliporme od il a information of finificantis

expression of pedations from Cappelling from Super Confict.

Albert & full quall men assume such Confict. Fronde Bubbipinnala, musormis subtripiunalis, s. devormostis stipik elongate glabernius, seneittino abropurpures, foliolis flavonoso; primis sultans remotis alternantibus, foliolis inferiorts

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Copyright reserved

MISSOURI

BOTANICAL

GARDEN

uneatis, sterilibus majorbus profunde pluvies lobatis 2 lobis a ule dentatis, fractiferis minoribus lobatis, 22. Soutellaria vordala Opproment mil einigen anden M ale gilg- alfeit. caule ererto s. bs. implir; folies omnibus profunde vordatis, lale ovatis, dentato-venatio longe petiolatis; raule, petiolis venorisque polionum pi-loso-pulesventibus; foliis glabrius rulis, rufin pallid is Pravimis ternatis, seirundis, Gruteis Cate ovatis subrordatis, arutis integnis, subsessi libers, pediale longioribus prosessentibus, ; calque brateam estredente proso Corolla majori, d'Catem Zlora afuly - Sottom sulv am Naosho e fort giblow. Juin. 1,24find slaterflow of I bafaaro, blattyfull o blillet varemus. 2, pilosa, day bladlyfull = form a Gradam, 3 canescens Ly Confirme Blatt 2 Grachen 4, Cordifolin L'of bafaans, fi fuffig le stangele große de Blainen 5 jernata - villosa De Blattform Jeseulariae p. fof.

George Engel

23 Campanula leptorarpa caule ereito angulato ramoso fel. lineari lanveol\_subservat ; flor gloment s. singlikis in asvillis folion sessilibres, germine elongato valine 2-5 partito, vorolla rotala en lagois magnitudhe; capula prismatita /2-1 "longa, trivalvi, valvis nom ponis detris vente. Tota plunk plus unsus ve aspen subpuberens \_ di milhir. L & mylum rb fußglatt. - Mind a C. erinoides It D'ajtigbail 200 maye de fly of fully peduntal - 6-12" for.

one de folga 20 mil of 20 am plessifolis in Rish 24. Campanula mediana all peer hybride griff ening 20 amplemifor, if he bid fi grammill,

ely willy it if fi 20 gry find of men. Caule erecto angulato simplis s. sumoro, fol ovato 2 lanceolalis, crenato - sembis florilis glornemis s. singulis, i asvill. folionem sessilibres ; germine elongats oulire pleningue opartito corolla rotata, ralyre majore capsula pris matita /4-1/2 longa poris tribus depise. Tota planta aspen, histor. — 1-12 ff. Camplearizantis Mor je Zylafo : cant erest, angulat.
simple, plinfer robund sessil, super robund vordat semiamplest erenat florgloment sessil, germine ovato elonger rulge 3-5 partit voroll rotal valge engine, capsula 1/4 long poris dehis rent

Lis 25. Lobelia thermarum If my mil 2. syphilitta romant olay lis bury I finition L. glandulosa Who (-soft It all all Whith all of the crassius oula?) y'unlig grant gross. Aly is a bliff grant free out. in L. Sh. ererta simplen glabriusrula, folingen lanveolat bas; of protracta super sessil crassius culis glanduloso serrei folioso, calgoris sinabus reflexis, regementis substilia. dentimentis, vorolla barbata. - guft gualle za depurpus, ag 1835 26. Eniogonum Congifolium Berk ? I den bablertlant They Ch. judg by di lang fund han set file, de sin myd mettig befried rief im bliggen e: E. longifoli raule ererto 2-3 pedal. hirsuto, folioso, foliis radital. lineanioblanieolatis elon gatis, obtus is, lønge petiolatis, in petiolum deirurentig petiblis vaginant t basi barbatis, fol. raulin lanseol aculis inferior & petrolat oupenbr. sessilil, omnibre 24 integnis, supm pri Coso-probessent & Infin albo tomentosis florbus pedrensulatis i umbellam rollertis ihvolenoro connato, enlyer formi, umbellis i conjunto pullate Dispositio, rulya segmentis overtæret service. tomentos, stam. g. styl. 3. fruit inclus. 3 quet. aufor Bythe Fifth Sittle North an fruit forming besth 10-16" lang Nervig Herfen. In Juin formel i an afaling fling bir fort get - full lingen, de sik Ve 47 kailings is fing having of bleif and coffind of pin Beith ogel laugstlet i mel trement mit elm'sleypen, sung my le seithen. Olypune my iff andriblet of whom who employees De lette Clongof Inonographen Geracine wififiel. 27 Plantago versta har in mondo bi for gibto griff.
Pl. virgin. In ab the 2 There are full live, gufort off.
bur zi Pl. gnaphalioides, de of for mis days in the suffill ff 20 for, sie munif Yunstut 3 Ol. pus, the - ich winner. \_ Blith lung linner, 183, ob Just gladt, with yillow; offet me, largement de Delith inter gebrain, ob siller. after eglikely vongeret, brut langline, page, Jelanguerde Lelf, De mi 28. Gratiola luvida Julpeer ung mis gratiolis moments

3 28. Gratiola luvida Julpeer ung mis gratiolis moments

3 mill mill mill suppliere, by mill 2 Corolland.

guftall about at, me of si Copple it having hich, sight, It. If find 4 Morely in I bliff, of also you have friely I have if the Rylimium. - Limbus bring glaif of the lig , you think Aufle 2 fifty, plante i d mill de Diffy ... It. dogte filist it 4 Jife and Jife of fring foll with it 2 Alago offine. Silf of ingling, he obast different of anitan Le pringf, di and I fenal, 18is. \_\_\_ Untry blick the oral prings lang i li by on Goggest 
If al him gain for fefting -if will gratista her its game i blille glaberrima, sopra levrida, - serrah veneal I I nip , L'Ale North, a De L'Ale manuelle wife birgy up 2. i paint fry Dyald-bookin angy 29. Lindernia setarea Amplinia Lindernia, delme topilt for grative en de purollele Syppice and I tappe det ofm. braten : frethick fort rafter i dought lux what långe alt el stell, som abne folkrig tyl gabried. Il Effertiege hing Lindemin fin fillfleft, If and weeken gindly gran faces; J. 6. d'latata Mithl. My Di Bliff rangly man sind af iff fag pedurer folis long ort. folis setercis, elongetis el Congrissimis. ... d. refratte guft Bith for ged in find graphet piller frust prininglif bi For Smith, about, Juini. is grahole carolinensis. 30 Gerardia pinnatifida inule enerto angulato, folioso ramoso, plis rumisque adpressis, aspero, i pedal! folis aspens linerilanreolatis, infenioribus alternantibus super oppositio infeniorib. pinnati Jidis segmentis Exean Carrely supertile integris. Floribo axillaribus, alternis s. oppositis nrem - vonstilvent; pedrur Brevi (1 Lin); valyr is dentity lineari lanreolatio corolla magna, purpurta pubesiente.
Tandy automps tothe obufello Lille Rois. Cliggs. Af mont it G. aunimlata Mr- If It di Chillypull to Die gybiell bliff- veffed. I mun helen jehylla min byth, my you about for glacera. 31. Pentstemon confertum, he De glabe tufe infulif. at by
de gedringt serfe gli yel blainers bliffe, li vofrig

Caule gluberimo eretto 2-3 pedali folis glabris ovulo-lanceolalis, inferioribus sessitibus, integris, superioribus lationibus, cordato amplearienals bus, denticulation infloressents nuda, elongada, interrupta, panione. oppostes adpressis comfertis, corolla pubescente (vis cosa?) tubulosa pon ventritosa), tubo incurvo linbo expanso \_ 6e,4 fill fignes sier bi dentst. laevjust - riflij sijs, fuile Houstond e lærege Ford fil. 32. Mimulus teles reniformist pinty - e Calons Definition on Melatery Towning by orbinite in marmface, i klimm. If iff right frece, fin - i li zil rul fflacy - / - Ob - i - deul faire. 1: glabeminus, lividus, æaule adsvendente, nadi rante, folisi rotundis, obtoessis, repundo dentatis, intégris ve, infentribus longe petiolatis, rotundis basi subruneatis, superioriles reniform bus, same rotundis breviter petiolatis, floribus enxillambius (non vacemosis) pedun. elonguhs: inly a obligue dentitus obsolelås, subarutis – find Mori au -i - Guille i Midnest lift tipper bachiala by?

33 Diglossum organtum for fife byforke. 34 Conjoalis crystallina e Seffer 65 mm/ mofm wite bliffy til 2 e at cripate 2 bliff 2 e at cripallings I wypefrull graffinde, france dig die dynten browken. Town (aule numoso eretto; fol. bipinnatifidis, folivles invisis in frifidis, s. subprinnatifidis, segmentis likeanbus vag aculis, glaceris. Brackeis ovalibres, accumentatis, floribres brevissine ped invulatio. uni valvantis, labis inferior I superbre oristato. Siliqua erystallina (polis Mesembrianth. rythelli- sin lis) Lernin. nignis mitentilis lensianlandes. – fryklom lorban florialet Bility! hytter bilgag frigit e de Jarobaf-Loued. Dien O 35. Denothem a cuminata caule erecto pubescente, folis Cheani-Carreolatis arutis, infin putiolutis, suprin basi notum dutis, subsessitibus, remote denticulatis, serires pubescentibus. Flombus i varemo folioso ;-Germine intyreque publiscent les, Lubo intyris longissimo, petulio ovato lanceolatis accuminatio faministres requalitas,
siginal que lobo (capala sesili cylendiva?) In pruly

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

36. Cenanthe involvierata 3. relle min bekrunt at ly der Jule Sundain yoffieden, ibry of my gruniff Subtis abonife de find offen wift kopfismen Undelle Thought of thought of digning and fright for any and grant of how if you'll denante frif minner of the stiffell my ingan. Bethe colonge for de go denante Grander. Radise florosa fastrirulat, raule eresto ramoso fistula striato, folio pseudopinnatis, foliblis linearitanreblates? elongasis, nervosis, integnis, plerumque trijugis, soliis summis simpliribus. Unibellis oppositifolis, pedentre involucris involuvellusque polyphyllis, folis liniani A Canceolatis, avuninatio, umbellulis multifloris via vadiatis i floribus omnibus fertilibus, Fructibus ovaliba ex costitulo striato, ralyce pers. I tente avonato, conice emergentibus, parti seminum supers nudo, suberibus quinque (partibus stuminum?) oshito, stylis reflexió Just fine bei for gibton - Just Munifing & miglion it laston grayer Man STANICAL G (000mato. Bliff - my Blatton. 37 Eupatorium cuneatum In Epurplat for your ze fly mily smeller lefting having what for for period in the court is folight Jest in Regs. - Orfob; Luty frids / 3- perfect albhold den behall (my lany is for the minimum) sife Jufa offely 1: d. \_\_\_\_ folis sessitions, semiam\_ Distinitis ovato laureolutis, sub plesoinable arumsnatis, busi vontratta vuntata sombiformi bro bas i subsintegnis, medro et ad apritem i regularitem servatis, infra suborugosis venosis, pubescentibus floribus conjuntosis anthodius ovutis, florent 10.13 i de mitte gruffun squamoza 38 Liatris criticata afrinde of incom. pilosa De cyludracea. folivs. paueriflor. Elith med gruit foliling nervos protos. ciliat (supenvilo magis quam. 20 2: opp- 2 auford je med liften; Squam, volundatio, mu cronaltie (rfr ouspickhis) - ale mil viliatis, aule folioso hvouto \_ la auffiti Jugilly politically for 10 in a aufful BOTANICAL

copyright reserved

GARDEN

cm

der 39 Troscimon denticulatum gruy in Froscinon ung Natally
is Ilfinition. Dief Operial intefficiely fifm & bail well de sy sing fil groft beith 20 m glanen by I glath. Folis nd valts oblanteolatis lineantes as whis integris s. repando dentirulatio, glauris, glubemment. Scapo folica multo superante unifloro, glabro sub flore glande piloso; anthodioglabo, foliolis 10-13, Chean Cancedal aondis, margine membranaveis; pappo ornthodri-longi Lydine, piloso, sul lenke plumoso. - Helit - pratis ferlilissimis N. West Ambanses Juni. The 40 Gonolobus albidus grange gonolobus helfet de Mertan o pun forjochel refle seiffige but i myte for find it det vij bi g. kirsel grafichen is G. mille vindiflomes. caule hissolo sandonke (sinishorom) sarmentis sufo villosis, polis oppos! notundsto vordulis basi sinulis, arminatis, colintis, infin histis petiblis aenvisque hirsutis, umbellis austl. miet, flor, pedrenvelijnetsbliv ægsemlibus, valgorgen hirsatis Corolla albida minore, pubescente, segmentis ovalg lireants obtusis, contortis nestanistes regmentis bisetosis. Oda feehdus tokuis planter Briff - Mond-ogsalpunger - Gebry - Suit. bliff dinfung frien. Belle of mit G. varolinensis n'imali. /- ? Aft fil je Cahen g. G. hirruter. Sygist -. il Northell di Deligh gelban. 41. Oddootigma grandifloren fillsleg ud dit J before fine being aboute ji i find Mything - Normall aller fringling garing it, find Mui aufen Juini, Smile Krivin, hoffe Herzel. 9 fr mel je genus podostigma, def mel de de bolge als gladt auga gab ( 20 2: blatt oppourt, fine ale Diblith myle of only - if fuflig . - fing afulyhis is Todostrymand Ananthenis virdis, dy have 10 I's det if prine; - eresta vanle angulato (?) folis 2 spars is, crassius crulis, breviter petrolalis, ovalibres, clongasis, obtusis, murronatis, subpubescentiles, margin dentimelatis; umbellis lateralibus, terminalit, com positio, pedrellis pubescentibs, floribus subrampaning massimis (2-12"), segmentis rulyvis lanceolatis 2218 long. 2"lat. segm. coroll ovalet. 12" bong, 22-3" latis

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Copyright reserved

MISSOURI BOTANICAL GARDEN

viridbus, margine membranares, eroso; epanti. gunguelobo, lobis imperviris, longsteedin calisis, vindi purpures untibus, a utheridro paululum mujore, vix d'imitro petulonum longitud? Folles. pleningne simplisch mobbiler mundadis, magnes 42. Phloum O'halanis inflata 2- gran aging mis Oh. vanaviensis, Si Offil It oby a Clather ni la Th. ushimlala, med you hif de before zo diep ift brunn, Mig wichtigh onigs. glatt, aufruft, obens blattfard aufgebling bigula buy, game all. Sans mela overly contract of the free force, The glive can work diel though grifing feit of Coroll in 2: shift grifflogt willing and and and and a Migobian - Monday and of the description of 43. Leers in Tennis. grund I gutting famitien ale mente si behand grike grike flicen.

- all and and harff, it will signife. anngade gi/am ggog diefa; adpraft, indrig onal bliff, blen, and Rome Il wing I then They orting, blink - This though duch faming min Complaint for grande of faction of faction of friends o BOTANICAL


copyright reserved

GARDEN

cm


The demarration between two annue Cayens of wood is owing to the greater firmnen of the wood oills formed et the close of the Zeason vij. Those at the outer border of the layer while the next layer begins en its vigorous vernel groth with much larger cells, they markey an abright transition believes to









me deli Sun Cax l'acompolic en - Ostra asuoning Lattyn, venerus I grutt ik de Les vogelos. Monardella! rarolina Benth. - Ogra. Monnelen







Annual vings ought to be named nore abstorde ege but are med more abstorde forting monthe town y ment instaures also fewer than the years Agrowth e.g. ni Veach al in Chestmitout. Det. L. Child a Copular Foience Monthly, Der 1282 V Dec 1883 see letast i Bel Jagette Lan 1884 x e.g. i Buroak Black Wilmt gymmeling This not always, but in the spending afamined vas so format

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN

